



DECORATIVE AND CONSUMER SOLUTIONS



ABOUT DURACO SPECIALTY MATERIALS

Forest Park, IL Bolingbrook, IL

Troy, OH

Lancaster, OH

Saint Paul, MN

3 PL Mississauga, Canada

Lawrence, MA

OVERVIEW

75 years in service

300+ employees

6,800 customers

Owatonna, MN 3 PL Los Angeles, CA

MANUFACTURING

Duraco HQ: Forest Park,

Filmquest: Bolingbrook, IL

- Infinity Tapes HQ: Lawrence, MA
- 3 Sigma: Troy, OH & Lancaster, OH
- Rayven: St. Paul, MN & Owatonna, MN

Advanced Warehousing

- Forest Park, IL
- Lawrence, MA
- Los Angeles, CA
- Mississauga, Canada





CAPABILITIES:

- Coating, laminating, slitting, die-cutting, and custom conversion
- R&D, design engineering, quality, and regulatory compliance
- Advance warehousing and fulfillment support
- Same day shipping

BROAD, ESTABLISHED CUSTOMER BASE:

Point-of-purchase (POP), decorative and consumer, flexible packaging, general distribution, general industrial and construction, graphics and communication, healthcare, OEM manufacturing, specialty label, transit packaging and e-commerce











2 866 800 0775 sales@duraco.com duraco.com

FIVE COMPANIES, ONE VISION, ONE FOCUS, ONE DURACO



Duraco Specialty Materials and its three business units – Duraco Direct, Duraco Specialty Films & Labels, and Duraco Specialty Coatings & Liners – is dedicated to meeting the unique needs of our customers with best-in-class service and responsiveness.

Scan the QR code to learn more about these innovative and complementary companies.













OVERVIEW DECORATIVE & CONSUMER

The Duraco Specialty Materials portfolio of companies offers a complete portfolio of pressuresensitive tapes, labels, funtional coatings for flexible packages, and release liners. These solutions are available with permanent/permanent or permanent/removable constructions and customizable options to meet the customer's exact specifications.

	Tapes	Labels	Functional Coatings	Liners
Duraco	Pages 5-29			
Rayven			Pages 35-36	Pages 39-40
Filmquest			Pages 34, 36	
3 Sigma		Pages 30-33		
Infinity Tapes				Pages 37-38



REMO ONE® DECORATIVE & CONSUMER

REMO ONE®

Removable foam tape with aggressive permanent adhesive on one side and removable adhesive on the other

Specifications

- Adhesive: Permanent rubber-based on one side, removable adhesive on mounting side
- Application Temperature: 65°F to 100°F
- Service Temperature: -20°F to 150°F
- 1/2 lb. per sq. in. of tape (conditions and variables in applications can produce different stresses and affect holding power)
- Intended for one-time use on hard, non-delaminating surfaces

Pre-Cut Pieces on a Roll, White

	Thistoness	Midelele	I am and	
Part Number	Thickness	Width	Length	Pieces/Roll
Number	in	in	in	
473847	1/32	1/2	1/2	10,000
470797	1/32	1/2	1	10,000
473863	1/32	1/2	1-1/2	10,000
470798	1/32	1/2	2	10,000
470799	1/32	1/2	3	5,000
470800	1/32	1/2	4	5,000
470801	1/32	1/2	5	3,000
472892	1/32	1/2	6	3,000
472894	1/32	1/2	8	2,500
473855	1/32	3/4	3/4	10,000
470803	1/32	3/4	1	10,000
470804	1/32	3/4	2	5,000
470805	1/32	3/4	3	5,000
470806	1/32	3/4	4	2,500

(more 1/32" sizes continued on next page)





WHERE TO USE REMO ONE®

- Promotional and temporary signage
- Temporary and permanent displays
- Single use promotional graphics
- Wobblers and shelf talkers



REMOVES CLEANLY. NO RESIDUE.



REMO ONE® DECORATIVE & CONSUMER

REMO ONE® MOST POPULAR



Pre-Cut Pieces on a Roll, White

Part Number	Thickness in	Width in	Length in	Pieces/Roll
470754	1/32	1	1	6,000
470748	1/32	1	2	6,000
470755	1/32	1	3	2,500
470809	1/32	1	4	2,500
470750	1/16	1	2	5,000
470751	1/16	1	3	2,500
470756	1/16	1	4	2,000
472912	1/16	1	6	2,000







Pre-Cut Pieces on a Roll, White

Part	Thickness	Width	Length	Pieces/Roll
Number	in	in	in	Fieces/Roll
470754	1/32	1	1	6,000
470748	1/32	1	2	6,000
470755	1/32	1	3	2,500
470809	1/32	1	4	2,500
470810	1/32	1	5	2,000
472900	1/32	1	6	2,000
478714	1/32	1	7	2,500
478715	1/32	1	8	2,500
478713	1/32	1	10	2,500
473778	1/16	1/2	1/2	10,000
470830	1/16	1/2	1	10,000
470831	1/16	1/2	2	10,000
470832	1/16	1/2	3	5,000
470833	1/16	1/2	4	5,000
470834	1/16	1/2	5	3,000
472904	1/16	1/2	6	3,000
470835	1/16	1/2	10	2,000

(more 1/16" sizes continued on next page)

6 866 800 0775 sales@duraco.com duraco.com



REMO ONE® DECORATIVE & CONSUMER


Pre-Cut Pieces on a Roll, White

Part	Thickness	Width	Length	
Number	in	in	in	Pieces/Roll
470838	1/16	3/4	3	2,500
470749	1/16	1	1	5,000
473862	1/16	11	1-1/2	7,500
470750	1/16	1	2	5,000
470751	1/16	1	3	2,500
470756	1/16	1	4	2,000
470842	1/16	1	5	2,000
472912	1/16	1	6	2,000
478712	1/16	1	8	2,000
470863	1/8	1/2	2	7,500
470757	1/8	1	1	5,000
470752	1/8	1	2	2,500
470753	1/8	1	3	2,000
470872	1/8	1	4	2,000
470873	1/8	1,	5	1,500
472924	1/8	1	6	1,500
475844	1/4	1/2	1	7,500
472928	1/4	1	1	5,000
475502	1/4	1	2	2,300
502131	1/4	1	3	1,000





Foam tapes allow for greater surface contact on irregular surfaces. Firm, even pressure improves the bond.



REMO ONE® DECORATIVE & CONSUMER

DECORATIVE AND CONSUMER PRODUCTS









Pads are great to include in kits with all kinds of temporary signs

Pre-Cut Pieces in a Pad, White

Part	Thickness	Width	Length	Pieces/Pad	Pieces/Carton	
Number	in	in	in	Fieces/Fau	Fieces/carton	
470812	1/32	1/2	1	10	7,500	
470813	1/32	1/2	2	10	4,000	
470814	1/32	1/2	3	10	2,500	
470815	1/32	1/2	4	10	2,000	
470816	1/32	1/2	5	10	1,500	
470820	1/32	3/4	3	10	1,750	
470824	1/32	1	1	10	4,000	
470825	1/32	1	2	10	2,000	
470826	1/32	1	3	10	1,250	
470827	1/32	1	4	10	1,000	
470828	1/32	1	5	5	750	
470829	1/32	1	10	2	400	
470844	1/16	1/2	1	10	7,500	
470856	1/16	1	1	10	4,000	
470857	1/16	1	2	10	2,000	
470858	1/16	1	3	10	1,250	
470859	1/16	1	4	10	1,000	
470861	1/16	1	10	2	400	
470884	1/8	1	1	10	3,000	
470886	1/8	1	3	10	1,000	
470887	1/8	1	4	10	750	

IT'S SIMPLE. JUST SAMPLE!

If you're not sure which tape will work best, you can request **FREE SAMPLES** to ensure proper fit and function.

CALL US NOW! 866 800 0775



866 800 0775

sales@duraco.com

duraco.com

REMO ONE® DECORATIVE & CONSUMER

Short Rolls, White

1.5" diameter core

Part Number	Thickness in	Width in	Length ft	Rolls/Carton
471444	1/32	1/2	30	72
471445	1/32	3/4	30	45
471446	1/32	1	30	36
471447	1/16	1/2	30	40
471449	1/16	1	30	20







Standard Rolls, White

3" diameter core

Part	Thickness	Width	Length	Rolls/Carton
Number	in	in	ft	
471435	1/32	1/2	216	24
472226	1/32	1/2	216	12
471439	1/32	3/4	216	16
471436	1/32	1	216	12
471437	1/16	1/2	216	24
471440	1/16	3/4	216	16
471438	1/16	1	216	12
471441	1/8	1/2	108	24
471442	1/8	3/4	108	16
471443	1/8	1	108	12



Long Rolls, White

3" diameter core

Part Number	Thickness in	Width in	Length ft	Rolls/Carton
472883	1/32	1/2	900	16
472884	1/16	1/2	450	24

Remo One®
used on
price channels
allows removal
without adhesive
residue



duraco.com sales@duraco.com

866 800 0775

REMO ONE® DECORATIVE & CONSUMER









3" diameter core

Part	Thickness	Width	Length	Rolls/Carton
Number	in	in	ft	Kons/ carton
471453	1/32	1/2	216	12
471454	1/32	1	216	12
471455	1/16	1/2	216	12
471456	1/16	1	216	12
471457	1/8	1/2	108	12
471458	1/8	1	108	12




Diameters on a Roll, White

Part	Thickness	Diameter	Pieces/Roll
Number	in	in	Pieces/Roll
502457	1/32	1/2	5,000
502445	1/32	3/4	4,000
475837	1/32	1	3,000
502452	1/16	1/2	5,000
475839	1/16	1	3,000

Pre-Cut Pieces on a Roll, Black

	Part	Thickness	Width	Length	Pieces/Roll
	Number	in	in	in	Pieces/Roll
	470952	1/32	1	3	2,500
	470976	1/16	1/2	3	5,000
	470986	1/16	1	1	5,000
	470988	1/16	1	3	2,500
	471020	1/8	1	1	6,500
	471022	1/8	1	3	2,000



Die cut diameters conform to your shape!

NEED A CLEAR FOAM TAPE?

Check out our **REMO TWO® CLEAR**



TIP

Remo One® eliminates the retailer's concern about tape residue.



10 sales@duraco.com 866 800 0775 duraco.com

REMO ONE® PLUS DECORATIVE & CONSUMER







REMO ONE® PLUS

Duraco's Remo One Plus is a double-sided adhesive foam tape that is removable one side and permanent on the other. Removes from hard non-delaminating surfaces such as wood, plastic and glass while offering four times the strength of standard removable tape.

Specifications

- Adhesive: Rubber-based on both sides; one side permanent, one side removable
- Application Temperature: 65°F to 100°F
- Service Temperature: -20°F to 150°F

Features

- · Four times the strength of standard removable products
- · Printed liner identifies the removable side
- Available in pre-cut pieces and continuous rolls
- Leaves no foam residue behind when removed
- Intended for one-time use on hard, non-delaminating surfaces

Continuous Roll, White

Part Number	Thickness in	Width in	Length ft	Rolls/Carton
479037	1/32	1/2	216	24
479038	1/32	3/4	216	16
479039	1/32	1	216	12
479040	1/16	1/2	216	24
479041	1/16	3/4	216	16
479042	1/16	1	216	12

Pre-Cut Pieces on a Roll, White

Part	Thickness	Width	Length	Pieces/Roll	
Number	in	in	ft	Fieces/Roll	
479043	1/32	1	1	6,000	
479044	1/32	1	2	6,000	
479045	1/32	1	3	2,500	
479046	1/32	1	4	2,500	
479047	1/32	1	6	2,000	
479048	1/16	1	1	5,000	
479049	1/16	1	2	5,000	
479050	1/16	1	3	2,500	
479051	1/16	1	4	2,000	
479052	1/16	1	6	2,000	
479053	1/8	1	1	5,000	
479054	1/8	1	2	2,500	
479055	1/8	1	3	2,000	
479056	1/8	1	4	2,000	

WHERE TO USE REMO ONE® PLUS

- · Temporary signs
- Price channel moldings
- Nameplates
- Shelf dividers
- Point of Purchase displays
- Metal shelving
- Merchandising racks

THICK REMO ONE® **DECORATIVE & CONSUMER**



TEMPORARY DISPLAYS



Removable foam block with aggressive permanent adhesive on one side and removable adhesive on the other, used to create 3-D effects

Specifications

- · Adhesive: Permanent rubber-based on one side, removable adhesive on mounting side
- Application Temperature: 65°F to 100°F
- Service Temperature: -20°F to 150°F
- Intended for one-time use on hard, non-delaminating surfaces
- For lightweight applications or filling gaps

Pre-cut Pieces on a Roll, White

Part Number	Thickness in	Width in	Length in	Pieces/Roll
470758	1/2	1	1	3,000
470760	1/2	1	2	1,800
470762	1/2	1	3	1,200



Pai Num		Thickness in	Width in	Length in	Pieces/Pad	Pieces/Carton		
4707	759	1/2	1	1	12	2,400		
4707	'68	3/4	1	1	36	4,320		
4707	770	3/4	1	3	12	1,800		
4707	73	1	1	1	36	6,012		
4707	775	1	1	3	12	1,440		
4707	'84	1-1/2	1-1/2	1-1/2	12	1,440		
4707	'87	2	2	2	1	840		



CHANGEABLE GRAPHICS

WHERE TO USE **THICK REMO ONE®**

- Promotional and temporary signage
- Temporary and permanent displays
- Single use graphics
- · Wobblers and shelf talkers





12

sales@duraco.com 866 800 0775 duraco.com

THICK REMO ONE® DECORATIVE & CONSUMER

Pre-cut Pieces on a Roll, Black

Part	Thickness	Width	Length	Pieces/Roll
Number	in	in	in	
470889	1/2	1	1	3,000

Pre-cut Pieces in a Pad, Black

Part Number	Thickness in	Width in	Length in	Pieces/Pad	Pieces/Carton
470890	1/2	1	1	12	2,400
470904	1	1	1	36	6,012



Place foam blocks 1" - 2" from the edge of dimensional graphics to create a clean 3-D effect.



TEMPORARY DISPLAYS

GRAPHICS





to order free samples.

REMO TWO® CLEAR DECORATIVE & CONSUMER









Double-sided clear tape with a removable adhesive on both sides

Specifications

- · Adhesive: Removable acrylic-based adhesive on both sides
- Application Temperature: 40°F to 175°F
- Service Temperature: 20°F to 180°F

Features

- Double-sided foam tape
- Removes cleanly from most hard, non-delaminating surfaces even after extended periods of time
- · Intended for one-time use on hard, non-delaminating surfaces

Rolls

3" diameter core

Part	Thickness	Width	Length
Number	in	in	ft
477180	1/32	1/2	216
477181	1/32	3/4	216
477182	1/32	1	216

Pre-Cut Pieces on a Roll

Part	Thickness	Width	Length	Pieces/Roll
Number	in	in	in	Pieces/Roll
477183	1/32	1	1	1250
477184	1/32	1	2	1250
477185	1/32	1	3	1000
477186	1/32	1	4	1000
477185	1/32	1 1 1	2 3 4	1000

WHERE TO USE REMO TWO® CLEAR

- Promotional and temporary signage
- · Single use graphics
- Temporary, plastic displays
- · Clear acrylic displays

IT'S SIMPLE. JUST SAMPLE!

If you're not sure which tape will work best, you can request **FREE SAMPLES** to ensure proper fit and function.

CALL US NOW! 866 800 0775





14 866 800 0775 sales@duraco.com duraco.com

REMO TWO® DECORATIVE & CONSUMER







WHERE TO USE REMO TWO®

- Promotional and temporary signage
- Single use graphics
- Consumer packaging
- In kits unattached to graphics

REMO TWO®

Double-sided adhesive foam tape with our removable adhesive on both sides

Specifications

- Adhesive: Removable adhesive on both sides (not recommended in applications with direct UV exposure)
- Application Temperature: 65°F to 100°F
- Service Temperature: -20°F to 150°F
- Holding Power: 1/2 lb. per sq. in. of tape (conditions and variables in applications can produce different stresses and affect holding power
- Intended for one-time use on hard, non-delaminating surfaces

Pre-cut Pieces on a Roll, White

Part	Thickness	Thickness Width Length		Pieces/Roll
Number	in	in	in	Pieces/Roll
471089	1/32	1/2	1	10,000
471090	1/32	1/2	2	10,000
471091	1/32	1/2	3	5,000
471093	1/32	1/2	5	3,000
471097	1/32	3/4	3	5,000
471101	1/32	1	1	6,000
471102	1/32	1	2	6,000
471103	1/32	1	3	2,500
471104	1/32	1	4	2,500
471105	1/32	1	5	2,000
471125	1/16	1/2	1	10,000
471126	1/16	1/2	2	10,000
471132	1/16	3/4	2	5,000
471133	1/16	3/4	3	2,500
471040	1/16	1	1	5,000
471137	1/16	1	2	5,000
471041	1/16	1	3	2,500
471138	1/16	1	4	2,000
471139	1/16	1	5	2,000
471042	1/8	1	1	5,000
471169	1/8	1	2	2,700
471170	1/8	1	3	2,000
472887	1/4	1	1	5,000

REMO TWO® DECORATIVE & CONSUMER

Pre-Cut Pieces in a Pad, White

Part	Thickness	Width	Length	Pieces/Pad	Pieces/Carton
Number	in	in	in	Fieces/Fau	Fieces/Carton
471107	1/32	1/2	1	10	7,500
471108	1/32	1/2	2	10	4,000
471119	1/32	1	1	10	4,000
471120	1/32	1	2	10	2,000
471121	1/32	1	3	10	1,250
471122	1/32	1	4	10	1,000
471123	1/32	1	5	5	750
471152	1/16	3/4	10	2	500
471153	1/16	1	1	10	4,000
471154	1/16	1	2	10	2,000
471155	1/16	1	3	10	1,250
471183	1/8	1	1	10	3,000
471184	1/8	1	2	10	1,500
471185	1/8	1	3	10	1,000





Use Remo Two® to attach promotional or seasonal signs without damaging the walls.*

*Removes cleanly from most hard, non-delaminating surfaces.





Use Remo Two® when packed out for in-store application to avoid wrong side use.

16 866 800 0775 sales@duraco.com duraco.com

REMO TWO® DECORATIVE & CONSUMER









- 1		di	nn	ietei	v c	200
- 1	7	(11)	IIII	IPIPI	, , ,	ΠP

Part	Thickness	Width	Length	Rolls/Carton
Number	in	in	ft	Rolls/Carton
471474	1/32	1/2	30	72
471476	1/32	1	30	36
471477	1/16	1/2	30	40
471478	1/16	3/4	30	25
471479	1/16	1	30	20
471482	1/8	1	15	20

Standard Rolls, White

3" diameter core

Part	Thickness	Width	Length	Rolls/Carton	
Number	in	in	ft	Rolls/Cartoll	
471465	1/32	1/2	216	12	
471466	1/32	3/4	216	16	
471467	1/32	1	216	12	
471468	1/16	1/2	216	12	
471469	1/16	3/4	216	16	
471470	1/16	1	216	12	
471471	1/8	1/2	108	12	
471472	1/8	3/4	108	16	
471473	1/8	1	108	12	



3" diameter core

Part Number	Thickness in	Width in	Length ft	Rolls/Carton
471483	1/32	1/2	216	12
471484	1/32	1	216	12
471485	1/16	1/2	216	12
471486	1/16	1	216	12



CLEAN SURFACE

Dirty, dusty and oily surfaces will stop your tape from sticking



THICK REMO TWO® DECORATIVE & CONSUMER

THICK REMO TWO®

Double-sided adhesive foam block with removable adhesive on both sides, used to create 3-D effects

Specifications

- Adhesive: Removable on both sides
- Application Temperature: 65°F to 100°F
- Service Temperature: -20°F to 150°F
- For lightweight applications or filling gaps








Pre-Cut Pieces on a Roll, White

Part	Thickness	Width	Length	Pieces/Roll
Number	in	in	in	FIECES/ROII
471043	1/2	1	1	3,000

Pre-Cut Pieces in a Pad, White

Part	Thickness	Width	Length	Pieces/Pad	Pieces/Carton
Number	in	in	in Pieces/Pa	Pieces/Pau	Pieces/Carton
471044	1/2	1	1	12	2,400
471053	3/4	1	1	36	4,320









WHERE TO USE THICK REMO TWO®

- Promotional and temporary signage
- Temporary and permanent displays
- Single use graphics
- Wobblers and shelf talkers

THICK REMO TWO® DECORATIVE & CONSUMER

TEMPORARY DISPLAYS

CHANGEABLE GRAPHICS



Individual Pieces, White

Part Number	Thickness in	Width in	Length in	Pieces/carton
471058	1	1	1	6,012
471060	1	1	3	1,440
471072	2	2	2	840



TIPS

- Attach temporary, lightweight graphics at location making them "stand out" on existing signs or displays.
- Try black Thick Remo Two® on dark backgrounds.
- Place foam blocks 1" 2" from the edge of dimensional graphics to create a clean 3-D effect.





When time is limited, every second counts.

So, we've extended our same day shipping hours to better meet your needs on in-stock products.

THICK REMO TWO® DECORATIVE & CONSUMER

Pre-Cut Pieces on a Roll, Black

Part	Thickness	Width	Length	Pieces/Roll
Number	in	in	in	
471188	1/2	1	1	3,000







Pre-Cut Pieces in a Pad, Black

Part	Thickness	Width	Length	Pieces/Pad	Pieces/Carton
Number	in	in	in	Fieces/Fau	Fieces/ carton
471189	1/2	1	1	12	2,400

Individual pieces, Black

Part	Thickness	Width	Length	Pieces/Carton
Number	in	in	in	Pieces/Carton
471203	1	11/	1_ 1	6,012





1/2" block 1" block – Use black foam blocks on dark backgrounds for a

clean look.



Call or go online to order free samples.

DURACO® MAGNETIC TAPEDECORATIVE & CONSUMER

Duraco's Magnetic Tapes are a flexible magnetic material coated on one side with a permanent adhesive.





WHERE TO USE DURACO® MAGNETIC TAPE INDOOR

.030"

- Lightweight applications
- Graphics
- · Pocket attachment
- Calendars

.060"

- · Lightweight plastics
- Appliance signage
- Banners
- Nameplates
- Advertising signs

DURACO® MAGNETIC TAPE INDOOR

Flexible magnetic material with high initial tack

Specifications

- · Adhesive: Rubber-based on one side
- Application Temperature: Above 50°F
- Service Temperature: 0°F to 150°F

Feature

· Available in two thicknesses for wide application needs

Pre-Cut Pieces on a Roll

Part Number	Thickness	Width	Length	Pounds	Pieces/
Part Number				Pull/Piece	Roll
473140	.030	1	1	0.54	1,200
473141	.030	1	2	1.08	600
473142	.030	1	3	1.63	400
473143	.030	1	4	2.17	300
473144	.030	1	5	2.71	240
473145	.060	1	1	1.17	1,200
473146	.060	1	2	2.33	600
473147	.060	1	3	3.50	400
473148	.060	1	4	4.67	300
473149	.060	1	5	5.83	240

Continuous Roll

3" diameter core

Part Number	Thickness	Width	Length	Pounds	Rolls/Carton
Fait Number				Pull/Ft	Rolls/Cartoll
473118	.030	1/2	100	3.3	11
473119	.030	3/4	100	4.9	7
473112	.030	1	50	6.5	10
473120	.030	1	100	6.5	5
473128	.030	1	200	6.5	2
473121	.030	1-1/2	100	9.8	3
473113	.030	2	50	13.0	5
473122	.030	2	100	13.0	2
473129	.030	2	200	13.0	1
473114	.060	1/2	50	7.0	11
473123	.060	1/2	100	7.0	5
473115	.060	3/4	50	10.5	7
473116	.060	1	50	14.0	5
473125	.060	1	100	14.0	2
473126	.060	1-1/2	100	21.0	1
473117	.060	2	50	28.0	2
473127	.060	2	100	28.0	1

DURACO® MAGNETIC TAPEDECORATIVE & CONSUMER

DURACO® MAGNETIC TAPE OUTDOOR

Flexible magnetic material ideal for applications with exposure to sunlight or adherence to flexible plastics

Specifications

- · Adhesive: Acrylic-based on one side
- Application Temperature: Above 50°F
- Service Temperature: 0°F to 200°F

Features

Available in two thicknesses for wide application needs

Continuous Roll

3" diameter core

Part Number	Thickness	Width	Length	Pounds	Rolls/Carton
rait ivallibei				Pull/Ft	Rolls/ Cal toll
473100	.030	1/2	100	3.3	11
473101	.030	3/4	100	4.9	7
473102	.030	1	100	6.5	5
473110	.030	1	200	6.5	2
473096	.060	1/2	50	7.0	11
473105	.060	1/2	100	7.0	5
473097	.060	3/4	50	10.5	7
473106	.060	3/4	100	10.5	3
473098	.060	1	50	14.0	5
473107	.060	1	100	14.0	2
473109	.060	2	100	28.0	1







WHERE TO USE DURACO® MAGNETIC TAPE OUTDOOR

.030"

- Lightweight applications
- Window graphics

.060"

- Lightweight plastics
- Banners
- Outdoor signage



CALL AN EXPERT!

Can't find what you need? Call us and let one of our experts help you find the right product for the job!

866 800 0775



FOR
COMPARISON...
A dime is
approximately
.030" thick

DECORATIVE AND CONSUMER PRODUCTS

22 866 800 0775 sales@duraco.com duraco.com

HOOK AND LOOP® FASTENERS DECORATIVE & CONSUMER

Duraco[®] Hook and Loop fasteners have a strong adhesive that adheres quickly. The products come on a clear polyester liner for easy release.









Strong hook and loop fastening on a clear polyester liner for easy release

Specifications

- Adhesive: Rubber-based permanent (not recommended in applications with direct UV exposure)
- Material: 100% nylon with clear polyester film liner
- Application Temperature: 65°F to 100°F
- Service Temperature: -20°F to 150°F

Features

- · Clear polyester liner for easy release
- Bonds well to low surface energy plastics, corrugate, chipboard, glass, wood and powder-coated metal



Part N	umber	Width	Length	Pieces/Carton
Hook Side	Loop Side	in	in	Fieces/Carton
476832	476852	3/4	3	5,000
476837	476857	1	2	5,000
476838	476858	1	3	5,000
476839	476859	1	4	3,000
476841	476861	1	10	2,000



Part Number		Width	Length	Pieces/Carton
Hook Side	Loop Side			Pieces/Carton
476877	476897	1	2	5,000
476878	476898	1	3	5,000
476879	476899	1	4	3,000
476880	476900	1	5	2,500



- Sample books
- POP displays
- Exhibits
- Enclosures
- Packaging
- Binders
- Pallet skirts



HOOK AND LOOP® FASTENERS DECORATIVE & CONSUMER

Rolls, White

Part N	Part Number		Length	
Hook Side	Loop Side	in	yd	
476804	476816	1/2	25	
476805	476817	5/8	25	
476806	476818	3/4	25	
476807	476819	1	25	
476808	476820	1-1/2	25	
476809	476821	2	25	

CHANGEABLE GRAPHICS

PRINT FINISHING BINDERY

TEMPORARY DISPLAYS

Rolls, Black

Part Number		Width	Length	
	Hook Side	Loop Side	in	yd
	476798	476810	1/2	25
	476799	476811	5/8	25
	476800	476812	3/4	25
	476803	476813	1	25
	476801	476814	1-1/2	25
	476802	476815	2	25

Coins on a Roll, White

Part N	umber	Diameter in	Coins/Roll	Rolls/Carton
Hook Side	Loop Side	Diameter in	Collis/Roll	Rolls/Cartoll
476959	476961	3/8	1,800	24
476946	476954	1/2	1,440	24
476947	476955	5/8	1,200	24
476948	476956	3/4	1,028	18
476949	476957	7/8	900	18

Coins on a Roll, Black

Part Number		Diameter in	Coins/Roll	Rolls/Carton	
Hook Side	Loop Side	Diameter in	Collis/Roll	Rolls/Cartoll	
476958	476960	3/8	1,800	24	
476942	476950	1/2	1,440	24	
476943	476951	5/8	1,200	24	
476944	476952	3/4	1,028	18	
476945	476953	7/8	900	18	

Use Duraco®
Hook and Loop
for signs that
require frequent
updating

866 800 0775

TIP

Use Duraco® Hook and Loop coins for packaging closures.



24

DECORATIVE AND CONSUMER PRODUCTS

sales@duraco.com

duraco.com

HOOK AND LOOP® FASTENERS DECORATIVE & CONSUMER







Spools, White

Part Number		Width	Length
Hook Side	Loop Side		yd
476962	476963	1/2	1,200
476970	476971	3/4	800
476974	476975	1	650

Spools, Black

Part Number		Width	Length
Hook Side	Loop Side		yd
476964	476965	1/2	1,200
476972	476973	3/4	800
476976	476977	1	650



ORDERING HOOK? DON'T FORGET THE LOOP!

NEED A REMOVABLE TAPE?



Check out our **REMO ONE®** products starting on page 33

HOOK AND LOOP® FASTENERS DECORATIVE & CONSUMER

Mated Sets, White

	Width	Length	
Part Number	in	in	Sets/Carton
476904	1/2	2	5,000
476911	3/4	2	4,000
476912	3/4	3	2,500
476913	3/4	4	2,000
476914	3/4	5	1,500
476915	3/4	10	750
476916	1	1	5,000
476917	1	2	2,500
476918	1	3	2,000
476919	1	4	1,500
476920	1	5	1,000
476921	1	10	500



PRINT FINISHING BINDERY

TEMPORARY DISPLAYS

Mated Sets, Black

Part Number	Width	Length	Sets/Carton
rait Nullibei			Sets/Carton
476931	3/4	2	4,000
476932	3/4	3	2,500
476933	3/4	4	2,000
476936	1	1	5,000
476937	1	2	2,500
476938	1	3	2,000
476939	1	4	1,500
476940	1	5	1,000
476941	1	10	500



Mated Coins on a Roll, White

Part Number	Diameter in	Sets/Roll
476982	3/8	1,500
476983	1/2	1,000
476985	3/4	1,000
476986	7/8	1,000



Part Number	Diameter in	Sets/Roll
476990	3/8	1,500
476991	1/2	1,000
476993	3/4	1,000
476994	7/8	1,000



26 866 800 0775 sales@duraco.com duraco.com

HOOK AND LOOP® LOW PROFILE DECORATIVE & CONSUMER



WHERE TO USE DURACO® HOOK AND LOOP LOW PROFILE

- Sample books
- POP displays
- Exhibits
- Enclosures
- Packaging
- Binders



Call or go online to order free samples.

DURACO® HOOK AND LOOP LOW PROFILE

Strong adhesive backing in a new slim profile that is up to 40% thinner than standard hook and loop

Specifications

- Adhesive: Rubber-based permanent (not recommended in applications with direct UV exposure)
- Material: 100% nylon with clear polyester film liner
- Application Temperature: 65°F to 100°F
- Service Temperature: -20°F to 150°F

Features

- Permanent adhesive
- Bond well to low surface energy plastics, corrugate, chipboard, glass, wood and powder-coated metal

Rolls, White

Part N	umber	Width	Length	Rolls/Carton
Hook Side	Loop Side		yd	ROIIS/Carton
475792	475796	1/2	25	40
475793	475797	5/8	25	30
475794	475798	3/4	25	25
475795	475799	1	25	20

Rolls, Black

Part Number		Width	Length	D. II. (6.)
Hook Side	Loop Side	in	yd	Rolls/Carton
475800	475804	1/2	25	40
475801	475805	5/8	25	30
475802	475806	3/4	25	25
475803	475807	1	25	20

Coins on a Roll, White

Part Number		Diameter	Cairra (Dall	Dalla (Cautau	
Hook Side	Loop Side		Coins/Roll	Rolls/Carton	
475808	475812	1/2	1,440	30	
475809	475813	5/8	1,200	25	
475810	475814	3/4	1,028	20	
475811	475815	7/8	900	20	

Coins on a Roll, Black

Part N	Part Number		Coins/Roll	Rolls/Carton	
Hook Side	Loop Side		Coms/Ron	Kolis/Carton	
475816	475820	1/2	1,440	30	
475817	475821	5/8	1,200	25	
475818	475822	3/4	1,028	20	
475819	475823	7/8	900	20	

DURACO® THICK HOOK AND LOOP

Combines Twin Stick® with Duraco® Hook and Loop for better gap filling and conformability in a hook and loop fastener

Specifications

- Adhesive: Rubber-based permanent (not recommended in applications with direct UV exposure)
- Material: 100% nylon with clear polyester film liner
- Application Temperature: 65°F to 100°F
- Service Temperature: -20°F to 150°F

Features

- Permanent adhesive
- · Better gap filling and conformability

Pre-Cut Pieces on a Roll, Black

Part Number		Foam Thickness	Width	Length	Pieces/Roll
Hook Side	Loop Side				Pieces/Roll
471697	471706	1/8	1//	4	1,500



PRINT FINISHING BINDERY

TEMPORARY DISPLAYS







closures

28 866 800 0775 sales@duraco.com duraco.com

SEW ON HOOK AND LOOP® DECORATIVE & CONSUMER

CHANGEABLE GRAPHICS PRINT FINISHING BINDERY

TEMPORARY DISPLAYS

DURACO® HOOK AND LOOP SEW ON

Provides strong hook and loop fastening and durability for sew on applications

Specifications

- · Material: 100% nylon
- No adhesive

Rolls, White

Part N	umber	Width	Length	Rolls/Carton
Hook Side	Loop Side	in	yd	Kons/Carton
472966	472967	1/2	25	40
472970	472971	5/8	25	30
472974	472975	3/4	25	25
472978	472979	1	25	20
472982	472983	1-1/2	25	14
472986	472987	2	25	10
472990	472991	4	25	5

Rolls, Black

Part Number		Width	Length	Rolls/Carton
Hook Side	Loop Side	in	yd	Kolis/Carton
472968	472969	1/2	25	40
472972	472973	5/8	25	30
472976	472977	3/4	25	25
472980	472981	1	25	20
472984	472985	1-1/2	25	14
472988	472989	2	25	10
472992	472993	4	25	5

100 O IN STOCK 866 800 0775

WHERE TO USE DURACO® HOOK AND LOOP SEW ON

- Banners
- Event design
- · Trade shows
- Fabric displays
- Orthopedics
- Medical devices
- Apparel

SEAL RESEAL DECORATIVE & CONSUMER

ANCHORSEAL™ PERMANENT/REMOVABLE LABELS AND TAPES

A highly engineered permanent/removable closure tape formulated with a high tack low adhesion adhesive system. Available in three innovative designs offering long term removability within multiple re-closure applications.

- 3 unique closure technologies
- Long term removability
- Tear Resistant
- Excellent printing and converting properties
- · Finger-lift design for ease of use
- Applications: Flexible packaging, Bag-in-a-Box, Paper Bag Closures

SEAL RESEAL CLOSURE PERMANENT/PERMANENT

A durable permanent/permanent closure tape with a uniquely formulated rubber based adhesive system offering immediate bonding power to a variety of substrates.



- Excellent immediate bond and shear resistance on a variety of substrates
- Superior printing and converting properties
- Applications: Food service bags, paper bag closures, flexible packaging

SEAL RESEAL CLOSURE ULTRA-REMOVABLE

Au ultra-removable, durable tape ideal for applications requiring multiple open and reclosure cycles. Maintains great resistance against environmental conditions.

- Long term reseal ability.
- Clean removal leaving no adhesive residue
- Excellent environmental and moisture resistance
- Excellent printing and converting properties
- Applications: Flexible, food, medical packaging, and ultra-removable applications.




FOOD ROTATION LABELSDECORATIVE & CONSUMER

DISSOLVABLE LABELS

An optimally designed food rotation label featuring a biodegradable adhesive & facestock that will dissolve completely within seconds when submerged in room temperature water with slight agitation.

- Disintegrates in water in seconds with slight agitation
- Non-residue/biodegradable adhesive and labelstock
- Available in direct thermal and thermal transfer constructions
- Flexographic, dry offset, and letter press compatible
- Sustainable alternative to traditional pressure sensitive label options
- Applications: Food rotation, craft supplies, school supplies, workshop organization



MAX-DUTY™ ULTRA-REMOVABLE LABEL

Max-Duty™ is film based label stock designed to work in the demanding food storage and preparation environment. This innovative label stock features a removable adhesive that bonds aggressively to various surfaces, but removes cleanly, leaving no adhesive residue.

- User-friendly "lift anywhere" design
- Ultra-removable non-residue adhesive system
- · Environmental and moisture resistance
- Excellent printing and converting properties
- · Applications: Food container date code labels, inventory labels



3sigma.cc csr@3sigma.cc 937 440 3400 31

FOOD ROTATION LABELSDECORATIVE & CONSUMER

CLEANSTIK™

REGULAR & DIRECT THERMAL

CleanStik[™] is a general-purpose, paper-based food label designed to perform in various food rotation and preparation applications. CleanStik[™] will bond aggressively to multiple surfaces and remove cleanly, leaving no adhesive residue. CleanStik[™] is available in regular and direct thermal versions.

- Available in regular and direct thermal
- Ultra-removable, non-residue food rotation label
- Excellent adhesion to multiple surfaces
- · Custom "lift edge" design
- Excellent converting & die-cutting
- Applications: Food container date code labels, inventory labels



ARTICSTIK™

REGULAR & DIRECT THERMAL

ArticStik™ is a freezer grade label designed to bond to cold, wet or damp applications. This innovative label, available in regular and direct thermal version, is ideal for food packaging & distribution, packaged poultry and meats, and frozen logistical applications.

- · Excellent cold temperature & moisture resistance
- Available in regular and direct thermal versions
- Modifiable facestocks and liners
- Compatible with a variety of substrates including film, corrugate, flexible packaging, and paperboard.



32 937 440 3400 csr@3sigma.cc 3sigma.cc

SECURITY & BRAND PROTECTION

DECORATIVE & CONSUMER

SIGMAGUARD™

Sigmaguard™ is a cellulose-based acetate modified to allow the tear strength to be varied to meet the customer's exact needs. When used as a label, seal, or over-laminate, attached by an adhesive, the film is almost impossible to remove without easily noticeable damage to the film itself or the surface to which it is attached.

- Highly frangible/destructible
- Offers good printability
- Highly transparent
- · Made from sustainable wood pulp
- Applications: Carton closures, over-lamination, indoor anti-vandal signs



RFID CUSTOM LABELSTOCK

A customizable labelstock for RFID applications designed to perform well despite challenging environments.

- Designed to withstand difficult environmental conditions
- · Provides counterfeit and theft protection
- Maintains long-term durability and product life
- Customizable permanent, removable, seal/reseal technologies and adhesive additives,
 pigmentation, security features, print quality, die-cutting, matrix stripping, and label application
- · Available in a variety of carriers and facestocks
- Applications: RFID labelstock

DID YOU KNOW?



3 Sigma's labelstock offers many customizable features, such as:

- Permanent, removable, seal/reseal technologies
- Adhesive additives
- Pigmentation
- Security features



3sigma.cc csr@3sigma.cc 937 440 3400 33

QUESTAR® SOFT TOUCH DECORATIVE & CONSUMER

Soft Touch polyester film is a plastic film that has been treated to feel soft and smooth to the touch. Soft Touch PET film has tactile, physical, mechanical, optical, thermal, electrical, and chemical properties that make it very well suited for many specialized applications. Soft Touch PET film is supplied in slit-to-width rolls, cut sheets, and fabricated components.

QUESTAR® SOFT TOUCH PET FILM (PREMIUM PRODUCT - (CP267)

A clear polyester film that is matte coated on one side and corona treated on the other. This top coating offers a luxurious tactile feel when touched.

- Aesthetics: Ultra-low gloss film with a soft tactile feel and excellent contact clarity when reverse printed.
- Key Benefits: Increased perceptions of quality, high COF properties, excellent handling characteristics, eliminated wash-out from reflected light.
- Substrate: Polyester
- Gauge: 48/91-200
- Available in PVdC PET (50 gauge), PCR PET,
 Nylon (60 gauge), MDOPE (90 gauge, 1.5mil)
- Available in various web widths and lengths
- Classifications: FDA approved & ISO Certified









35

MATTE SOFT TOUCH DECORATIVE & CONSUMER

Propel your packaging appeal to the next level by utilizing Soft Touch Matte or Ultra-Soft Touch Matte top coating. These films provide a delicate, luxurious tactile feel when touched, without compromising durability and strength. When laminated to a printed sheet, image colors remain strong and vibrant so that you can experience the perfect combination of soft tactile feel, excellent graphics, and dependable quality.





A polyester film with soft touch matte coating that offers multiple high-end, durable characteristics.

- Aesthetics: Soft, tactile feel and matte opaque finish.
- Key Benefits: Adhesion to a variety of substrates, high COF properties, excellent contact clarity, and outstanding scratch and scuff resistance.
- Substrate: Polyester, polyethylene, or BOPP
- Gauge: 48-200
- Available in PVdC PET (50 gauge), PCR PET, Nylon (60 gauge), MDOPE (90 gauge, 1.5mil)
- Available in various web widths and lengths
- Classifications: SQF & ISO Certified





ULTRA-SOFT MATTE FILM (PREMIUM PRODUCT)

A polyester film coated to feature ultra-soft matte tactile features, excellent qualities, and offer customization options.

- Aesthetics: Ultra-soft tactile features and matte opaque finish.
- Key Benefits: Great adhesion to substrates, high COF properties, excellent contact clarity, outstanding scratch and scuff resistance, revertable haze, and gloss levels with vendor specific OPV.
- Substrate: Polyester, polyethylene, or BOPP
- Gauge: 48-200
- Available in PVdC PET (50 gauge), PCR PET, Nylon (60 gauge), MDOPE (90 gauge, 1.5mil)
- Available in various web widths and lengths
- Classifications: SQF & ISO Certified

SOFT TOUCH TOP COATING DECORATIVE & CONSUMER









CUSTOMIZATIONS

Chemical treatment

PVdC coating

One or two side corona treatment

Lidding stock

Metalized

Substrates

Coat weight

BENEFITS

Premium soft tactile feel

Heightened aesthetic appeal

Superior scuff & scratch resistance

Superior ink & adhesive adhesion

Glare & wash-out prevention

Sustainable options

Quick & accurate color match

APPLICATIONS

Luxury packaging

Pet food packaging

Food & beverage

Cosmetics packaging

Book covers

Labels

Consumer goods packaging



SCAN TO LEARN MORE

PAPER RELEASE LINERS DECORATIVE & CONSUMER

Infinity offers a variety of paper, polyester, and polypropylene release liners. These smoothly releasing liners offer a range of qualities, including metalized film, high temperature resistance, antistatic properties, standard printing, custom printing, and color choices. Compatible with many types of adhesive, there is sure to be a release liner that perfectly fits your application.

42# PAPER LINER

A 42# paper liner coated on one side with easy release silicone.

- Key Benefits: Smooth release, compatible with many adhesives, offered with standard or custom printing.
- Release liner: 42# bleached SCK paper
- Coating: Coated on one side with easy release silicone



53# PAPER LINER

A 53# paper liner coated on one side with easy release silicone.

- Key Benefits: Smooth release, compatible with many adhesives, available with standard or custom printing.
- Release liner: 53# bleached SCK paper
- · Coating: Coated on one side with easy release silicone



DID YOU KNOW?

Infinity Tapes offers a wide range of converting capabilities, including:

- Flexographic printing
- Silicone coating
- Hot melt adhesive coating up to 40"
- Slitting
- Spooling

CUSTOMIZE

- Standard Printing:
 "Remove Liner to Expose Adhesive"
- Custom Printing

RELEASE LINERS DECORATIVE & CONSUMER

PET901 MET

A metalized polyester film release liner providing excellent smooth release.

- Key Benefits: Smooth release, compatible with many adhesives, eliminates static cling, offers the highest temperature resistance and highest strength of all plastic film release liners.
- Release liner: 1.0mil polyester metallized film
- · Coating: Coated on metallized side with easy release coating

PET901

A clear polyester film coated on one side with easy release silicone and printed on the other side with the words, "Remove Liner to Expose Adhesive."

- Key Benefits: Easy release, custom printed wording and colors, compatible with many adhesives, highest temperature resistance and highest strength of all plastic film liners.
- · Release liner: 1.0mil clear polyester film
- Coating: Coated on one side with easy release silicone, printed on the other side

PP701.2 MET BOPP


A clear printed or unprinted metalized silicone coated antistatic film.

- Key Benefits: Smooth release, compatible with many adhesives, features anti-static properties, is available printed or unprinted.
- Release liner: 1.18mil metallized polypropylene film
- · Coating: Coated on one side with easy release silicone

PP502

A clear printed or unprinted BOPP film coated on one side with easy release silicone and printed on the other with the words, "Remove Liner to Expose Adhesive."

- Key Benefits: Easy release, printed or unprinted options, custom printed wording, great strength, compatible with many adhesives.
- Release liner: 1.38mil clear BOPP film
- · Coating: Coated on one side with easy release silicone, printed on the other side



PAPER RELEASE LINERS DECORATIVE & CONSUMER

Rayven offers release liners with many different release chemistries and a range of release values, ranging from easy to extra tight (10 gpi - 400 gpi), UV cured, and thermally cured releases. Rayven will match the chemistry to the application to yield the desired release performance. Substrate compatibility and heat resistance are also considered when choosing a silicone release coating.

SUPER CALENDARED KRAFT (SCK)

SCK release liners extend beyond traditional paper liners and are smoother than regular paper liners. This allows the ability to work with the majority of applicators making SCK a go-to option for product labels.

- Key Benefits: Polished liner for increased smoothness, highly compatible with many applicators, customizable
- Release liner: Super calendared kraft paper 38#, 42#, 53#, 78#
- · Coating: Silicone

POLY COATED KRAFT (PCK)

Release liners with a layer of polypropylene that ensures a more stable and sturdy liner. The addition of polypropylene acts as a moisture barrier, making this liner ideal for wine labeling.

- Key Benefits: Stable and sturdy performance, ideal for a lay-flat end product, good moisture resistance, great for industries familiar with paper release liners but need moisture resistance, customizable.
- Release liner: Poly coated kraft paper 60#, 80#, 90#
- · Coating: Silicone

CLAY COATED KRAFT (CCK)

Considered the "Economical Paper Liner," CCK release liners are ideal for the general industrial segment where customers prioritize a price point for their liner in the marketplace.



rayven.com info@rayven.com 651 642 1112 39

FILM RELEASE LINERS SPECIALTY LABEL SOLUTIONS

POLYESTER

Traditional PET release liners that are compatible with a wide variety of adhesives. These durable liners are difficult to tear or break and are ideal for high-speed applicators.

- Key Benefits: Many gauges to choose from, great tear resistance, ideal for high-speed applicators, good resilience when faced with difficult environments, weather, and moisture.
- Release liner: Polyester film 92ga, 142ga, 200ga, 300ga, 400ga, 500ga
- Coating: Silicone

LOW-DENSITY POLYETHYLENE (LDPE)

LDPE release liners feature resilience and are challenging to tear or break. These liners are strong enough to withstand difficult environments and are great for use on end products exposed to weather and moisture.

- Key Benefits: Multiple liner thicknesses available, great tear resistance, withstand difficult environments.
- Release liner: Low-density polyethylene film 1mil, 1.5mil, 2mil, 2.5mil, 3mil 10mil
- Coating: Silicone

HIGH-DENSITY POLYETHYLENE (HDPE)

HDPE release liners are the perfect choice for applications requiring extra strength and durability. This strong film is resistant to tears and breaks and can withstand challenging environments.

- Key Benefits: Many liner thickness options, extremely strong and durable, resistant to tears and breaks, maintains performance despite difficult environments.
- Release liner: High-density polyethylene film 1.5mil,
 2mil, 2.5mil, 3mil 10mil
- · Coating: Silicone

人

DID YOU KNOW?

The general categories of silicone release coatings that Rayven uses are thermal curing and UV curing. Within these categories, Rayven has several silicone resins and carriers. The carriers can be solvent, water, or 100% solids where no carrier is needed.

POLYPROPYLENE

Polypropylene release liners are excellent for use with applications that are exposed to high temperatures and are compatible with a wide array of adhesives.

- Key Benefits: Multiple thickness choices, compatible with applications exposed to high temperatures, compatible with many adhesives.
- Release liner: Polypropylene film 1.4mil, 1.6mil, 2mil, 3mil
- Coating: Silicone

GOING ABOVE AND BEYOND TOGETHER

TO GIVE YOU THE BEST TOP COATING SOLUTIONS







EXPERTS



MADE TO ORDER



RAPID **TURNAROUND**



CUSTOM



CUSTOM CONVERTING Coat. Convert. Customize.



duraco.com | 866 800 0775 | sales@duraco.com









